

## Technical Data Sheet

Manganese Tripeptide-1 Cosmetic Suspension | 1% Mn-TP1 in Glycerin Suspension with Linatural MBS-4  
Product Code FL-MTP1-GLYC-MBS4-LC-001-TDS

### Current published version — subject to change.

This document is the current web-published revision. Specifications, classifications, and recommendations may be revised without notice as additional batch and analytical data become available. **For any shipment, the authoritative document is the revision packaged with your batch — refer to that version for the values that apply to the lot you receive.**

## Product Overview

<b>Product Name</b>	Manganese Tripeptide-1 Cosmetic Suspension   1% Mn-TP1 in Glycerin Suspension with Linatural MBS-4
<b>Product Code / SKU</b>	FL-MTP1-GLYC-MBS4-LC-001-TDS
<b>Document Revision</b>	0.1
<b>Effective Date</b>	May 20, 2026
<b>Manufacturer</b>	Formulate Labs, Inc. 1645 Headland Dr. Fenton, MO 63026
<b>Quality Contact</b>	quality@formulate.co <i>Lot issues, complaints, contamination concerns, out-of-spec materials, COA discrepancies.</i>
<b>Regulatory Contact</b>	regulatory@formulate.co <i>INCI, allergens, IFRA, Prop 65, vegan/natural claims, compliance documents, formulation-use questions.</i>
<b>Adverse Effects Reporting</b>	safety@formulatelabs.ai
<b>Emergency Phone Number</b>	888-999-2260

This material is Manganese Tripeptide-1 (Mn-TP1) at 1% dosed into a 35% Glycerin / Water carrier preserved with Linatural MBS-4 at 2.00%. It is designed for cosmetic formulators (hair-care formats and skincare formats both supported) who want a neutral humectant carrier with a selectable preservation system to match the ingredient deck of the finished product.

## Recommended Cosmetic INCI Declaration

### Water, Glycerin, Propanediol, Manganese Tripeptide-1, Ethylhexylglycerin, Benzoic Acid

*INCI ordering follows descending weight per FDA / EU cosmetic labeling convention; ingredients below 1% may appear in any order in the final label per local regulations. The process-integrated preservation system is disclosed in the SDS for industrial safety and formulation review. Finished-product manufacturers and brand owners remain responsible for final ingredient labeling determinations in each sale jurisdiction.*

## Composition / Information on Ingredients

Ingredient / Chemical Name	CAS #	Function	% by Weight
Glycerin	56-81-5	Humectant carrier; cosmetic raw material	35.000%
Propanediol	504-63-2	Process-integrated preservation solvent / humectant component of Linatural MBS-4	1.700%
Ethylhexylglycerin	70445-33-9	Process-integrated preservation booster / skin-conditioning component of Linatural MBS-4	0.200%
Benzoic Acid	65-85-0	Process-integrated preservative acid component of Linatural MBS-4	0.100%
Water	7732-18-5	Solvent (balance)	62.000%

Ingredient / Chemical Name	CAS #	Function	% by Weight
Manganese Tripeptide-1	146439-94-3	Active biomimetic acetylated peptide; cosmetic raw material	1.000%

## Preservation System

Component	CAS #	% of Blend	% in Finished Suspension
Propanediol	504-63-2	85.0%	1.700%
Ethylhexylglycerin	70445-33-9	10.0%	0.200%
Benzoic Acid	65-85-0	5.0%	0.100%

Linatural MBS-4 (supplied by Lincoln Manufacturing) is used at 2.00%. Plant-derived preservation system from Lincoln Manufacturing. Propanediol-based, naturally-acceptable.

## Key Technical Attributes

<b>Format</b>	Aqueous cosmetic raw material
<b>Appearance</b>	Clear to faintly straw aqueous solution. Lot-to-lot color variation is expected to be minimal at this peptide loading.
<b>Odor</b>	Mild characteristic; no added fragrance
<b>Preservation</b>	Linatural MBS-4 (supplied by Lincoln Manufacturing) is used at 2.00%. Plant-derived preservation system from Lincoln Manufacturing. Propanediol-based, naturally-acceptable.
<b>Target pH</b>	4.5-5.1 at 25 °C (anticipated)
<b>Solubility / Compatibility</b>	Water-miscible / water-compatible
<b>Recommended Use Level</b>	Dilute into the finished formula at 0.05-0.5% of the lab concentrate for an in-formula peptide level of approximately 0.000175-0.00175%. Use levels are guidance only; finished-formula safety, preservation efficacy, and stability remain the responsibility of the brand.
<b>Processing</b>	Add during cool-down at <= 40 °C, ideally as a final aqueous addition. Avoid high shear once incorporated and avoid sustained heat after addition. Maintain finished-formula pH between approximately 4.0 and 6.0 (per supplier guidance for Manganese Tripeptide-1) to keep the peptide stable; avoid strong oxidisers, sulfuric or phosphoric acids, acetic anhydride, and prolonged direct-light exposure in the same phase.
<b>Storage</b>	Store tightly closed in opaque containers protected from light (Manganese Tripeptide-1 is light-sensitive per supplier guidance). Refrigerate (2-8 °C) for maximum shelf life. Minimize headspace once a container is opened.
<b>Shelf Life</b>	Anticipated unopened, refrigerated: 18-24 months. Anticipated unopened, controlled room temperature: 12-18 months. Open or in-use containers require site-specific microbial controls. Ranges represent the current published target and may be refined by future stability data.

## Formulation Guidance

- Best suited to water-based cosmetic hair-care systems (scalp serums, leave-on hair tonics, density-positioned conditioners) and the water phase of cosmetic emulsions; also acceptable in rinse-off hair-care products.
- Maintain finished-product pH in the acidic range (approximately 4.0-6.0 per supplier guidance for Manganese Tripeptide-1). The preservation system targets the lower end of that range.
- Avoid prolonged exposure above 45 °C after addition; sustained heat can hydrolyze the peptide and reduce in-formula activity.
- Avoid contact with strong oxidisers, sulfuric or phosphoric acids, acetic anhydride, prolonged exposure to direct light, and sustained exposure to pH > 7.0.
- Final formulations must be independently stability tested, micro tested, and challenge tested. Preservation efficacy in the finished product is the brand's responsibility regardless of the preservation system in this raw material.

## Marketing / Claims Guidance

Appropriate cosmetic-positioning language may include hydrating, conditioning, biomimetic peptide, supports the appearance of fuller-looking hair, supports a healthy-looking scalp, and helps maintain the look of hair density (per published cosmetic in-vitro and panel work for the peptide and the Xeradine C blend). **Avoid hair-loss drug language** ('treats hair loss', 'stops hair loss', 'regrows hair', 'treats alopecia', 'hair-regrowth treatment'); these are drug claims and are forbidden on cosmetic products in every market we ship into. **Avoid mechanism / pharmacological language** ('5-alpha-reductase inhibitor', 'blocks DHT', 'DHT modulation', 'follicle activator') even when the supplier brochure references those mechanisms in cosmetic in-vitro studies. **Avoid disease, wound-healing, or therapeutic claims** for the finished product unless the product is regulated and substantiated for such use. Structure-function language must be qualified appropriately and must not imply medical benefit.

## Regulatory Notes

- **Current published version — subject to change.** This document represents the current web revision. Specifications may be revised as additional batch and analytical data become available; the document packaged with each shipment is the authoritative version for the specific lot received.
- Recommended cosmetic INCI declaration is the descending-weight string listed above.
- SDS composition disclosure is provided for industrial safety, formulation review, and regional compliance assessment.
- No fragrance is intentionally added.
- **Not certified organic, kosher, halal, COSMOS, vegan, or non-GMO unless separately accompanied by a third-party certificate.** Suitability assessments based on the ingredient deck and supplier information are not equivalent to certifications.
- Component supplier data has been used in good faith; supplier-issued documents take precedence over individual statements above where a discrepancy exists.
- Finished-product manufacturers remain responsible for final product safety, claims, label compliance, regional restrictions, and preservative efficacy.